

Gorgiel ... in warm atmosphere



CEZAR I AD1

INFORAMTION CARD

PREMIUM LINE

KEY FEATURES


- A wide range of dimensions
- High performance
- Perfect, unique workmanship
- Modern design
- Easy to install
- The set includes an aesthetic side cover
- Central connection 50 mm
- The heater complies with the EN 442 standard
- Quality control at every stage of production
- Guarantee of quality




Side covers supplied as standard

Standard supplied in white [01] or glossy graphite [05] with connection type 51 in set with side covers. The valves shown in the photo are optional accessories available at an additional cost.
SEE RECOMMENDED ACCESSORIES

Type:	AD1 - vertical radiator, single version
Material:	Low carbon steel, unalloyed
Construction:	Pipe Ø 22 Collector Ø 32
Work pressure:	Up to 1,0 MPa (10 bar)
Work temperature:	Up to 95°C
Standard equipment:	Premium plug ½" Premium air vent ½" Radiator bracket type Z14
Surface finish:	Color white [01] or graphite glossy [05]
Connections:	½"


	STANDARD
Connection diagram	[M] 
Connection code	
	2 - air vent ½" 3 - plug ½"

RECOMMENDED ACCESSORIES




For connection type [51], a double combination valve with a thermostatic head matching the color of the radiator

[51]



H - height; W - width; D - depth; M - connection spacing;



CEZAR I AD1	H [mm]	W [mm]	D [mm]	C [mm]	BC [mm]	55/45/20°C [W]	75/65/20°C [W]	90/70/20°C [W]	INDEKS	[kg]	[dm ³]
AD1 100/20	1000	220	100	50	930	120	231	292	10141110995105	3,09	1,85
AD1 100/40	1000	384	100	50	930	214	413	521	10141111005105	5,53	3,32
AD1 100/55	1000	548	100	50	930	309	595	751	10141111105105	7,97	4,78
AD1 100/70	1000	712	100	50	930	394	758	957	10141111205105	10,42	6,25
AD1 100/85	1000	876	100	50	930	497	956	1207	10141111305105	12,86	7,71
AD1 180/20	1800	220	100	50	930	354	676	852	10141111295105	5,16	3,10
AD1 180/40	1800	384	100	50	930	380	730	922	10141113005105	9,26	5,57
AD1 180/55	1800	548	100	50	1430	544	1046	1320	10141113105105	13,36	8,03
AD1 180/70	1800	712	100	50	1430	701	1347	1700	10141113205105	17,46	10,50
AD1 180/85	1800	876	100	50	1430	872	1677	2117	10141113305101	21,56	12,96



GORGIEL GROUP Sp. zo.o. Sp.k.

Karpicko, 64-200 Wolsztyn
ul. Poznańska 10

tel. +48 68 347 54 00
fax + 48 68 347 54 50
gorgiel@gorgiel.com.pl



gorgiel.pl